

# Catalogue 2020/21

## Modular washbasin system

**HEWI**

Modular washbasins  
Modular washbasin packages  
Washbasin sets  
Wall profiles  
Accessories





## HEWI Hotline

---

Monday – Thursday between 7 am and 5 pm

Friday between 7 am and 3 pm

Phone: +49 5691 82-0

Fax: +49 5691 82-319

eMail: [international@hewi.com](mailto:international@hewi.com)

## Modular washbasin system 2

---

Introduction 2

Overview modular washbasin elements 3

Modular washbasin 4

Modular washbasin packages 5 – 7

Washbasin profile sets, individual components 8 – 10

## Washbasin sets 11

---

Introduction 12

Overview washbasin sets 13

Washbasin sets 14 – 18

## Wall profiles 19

---

Configuration wall profiles 20

Wall profiles 21

## Individual components for washbasin and wall profiles 22

---

Individual components 22 – 23

Accessories 24

## General information 26

---

International terms of sale 26 – 27



# Modular washbasin system

## Independence and comfort

With the new washbasin concept, HEWI is continuing the success story of its innovative washbasins.

### **Modular washbasin system**

The innovative concept allows the integration of an adaptive support rail and a modular storage system directly on the washbasin. It is available with four attractive stainless steel surfaces with powder coating. The material creates a noble appearance on the washbasin, which has an extremely resistant surface and offers a high degree of grip comfort when holding the grab bar.

### **Washbasin elements**

The washbasins can be extended by the modular system – as required by the individual needs of the user.

### **Washbasin sets**

Sensibly composed sets allow straightforward expansion of the washbasin by useful elements.

### **Wall profiles**

Due to the timeless and modern design, the organisation system is also ideal for the wall.

[www.hewi.com/en/washbasinsystem](http://www.hewi.com/en/washbasinsystem)

# Modular washbasin elements

With the individual washbasin elements, the modular washbasin can be individually configured to suit the user's needs.

Predefined HEWI sets can be found from page 11



=

**950.13.2...**  
see page 4

+

**1 profile optionally with 1 shelf or 3 hooks**  
Free choice:  
950.13.0002 Washbasin profile with shelf  
950.13.0003 Washbasin profile with shelf, hole right  
950.13.0004 Washbasin profile with shelf, hole left  
950.13.0005 Washbasin profile with shelf  
950.13.0006 Washbasin profile with shelf, hole right and oblong hole  
950.13.0007 Washbasin profile with shelf, hole left and oblong hole  
950.13.0008 Washbasin profile with 3 hooks  
  
see page 6

+

**2 profiles optionally with 1 shelf each or 3 hooks each**  
Free choice:  
950.13.0002 Washbasin profile with shelf  
950.13.0003 Washbasin profile with shelf, hole right  
950.13.0004 Washbasin profile with shelf, hole left  
950.13.0005 Washbasin profile with shelf  
950.13.0006 Washbasin profile with shelf, hole right and oblong hole  
950.13.0007 Washbasin profile with shelf, hole left and oblong hole  
950.13.0008 Washbasin profile with 3 hooks  
  
see page 6



=


see page 5

+

**1 Shelf**  
Free choice:  
950.13.0014 Shelf  
950.13.0015 Shelf, hole right  
950.13.0016 Shelf, hole left  
950.13.0017 Shelf  
950.13.0018 Shelf, hole right and oblong hole  
950.13.0019 Shelf, hole left and oblong hole  
  
see page 7

+

**2 Shelves**  
Free choice:  
950.13.0014 Shelf  
950.13.0015 Shelf, hole right  
950.13.0016 Shelf, hole left  
950.13.0017 Shelf  
950.13.0018 Shelf, hole right and oblong hole  
950.13.0019 Shelf, hole left and oblong hole  
  
see page 7



**HEWI Washbasin, modular**

modular washbasin system: adaptive additional functions can be extended or removed

- with shelf and deep rectangular basin with generous radii
- with gushing edge to wall
- without overflow
- alpine white, mineral composite material with non-porous surface
- 650 mm wide, 550 mm deep
- wheelchair accessible to DIN 18040 and ÖNORM B1600/1601
- loading capacity to EN 14688
- for hanger bolt fixing
- CE marking according to Construction Products Regulation No. 305/2011

- prepared for single hole mixer tap
- for wall-mounted fittings

Mineral composite

**950.13.201**  
**950.13.200**

AQ1...

**HEWI Fittings** see Sanitary catalogue 2019/20 from page 423  
Available only in DE, AT, BE, NL, LU, FR, PL and restricted in UK.

Item Number

Specification



**Washbasin 950.13.201**  
with profiles with support rail 950.13.0001

**HEWI Washbasin with support rail**

- package includes:
  - washbasin 950.13.20...
  - washbasin profiles with support rail 950.13.0001

Please advise washbasin, item number and surface of washbasin profiles with support rail 950.13.0001 when ordering.

**950.13.201**  
**950.13.200**

**HEWI Washbasin, modular**

- further product information see left
- prepared for single hole mixer tap
- for wall-mounted fittings

**950.13.0001**

**HEWI Washbasin profiles with support rail**

- powder-coated in HEWI colours DX, AY, SC, DC
- further product information see page 8

**HEWI Surfaces**

- ... **DX** matt white
- ... **AY** matt light grey pearl mica
- ... **SC** matt dark grey pearl mica
- ... **DC** matt black

Item Number

Specification



Example: Washbasin 950.13.201  
with profile with shelf 950.13.0002 and 950.13.0003

**HEWI Washbasin optionally with one shelf or 3 hooks**

- package includes:
  - 1 washbasin 950.13.20...
  - 1 washbasin profile with with freely selectable shelf or hooks

**HEWI Washbasin optionally with two shelves or 3 hooks**

- package includes:
  - one washbasin 950.13.20...
  - two washbasin profiles with freely selectable shelves or hooks


Please indicate washbasin, item number and surface of washbasin profiles with shelf or hook when ordering.



**950.13.201**  
**950.13.200**

**HEWI Washbasin, modular**


- further product information see page 4
- prepared for single hole mixer tap
- for wall-mounted fittings



**950.13.0002**

**HEWI Washbasin profile with shelf**


- 360 mm wide
- powder-coated in HEWI colours DX, AY, SC, DC
- further product information see page 8



**950.13.0003**

**HEWI Washbasin profile with shelf**


- 360 mm wide, hole right
- powder-coated in HEWI colours DX, AY, SC, DC
- further product information see page 8



**950.13.0004**

**HEWI Washbasin profile with shelf**


- 360 mm wide, hole left
- powder-coated in HEWI colours DX, AY, SC, DC
- further product information see page 8



**950.13.0005**

**HEWI Washbasin profile with shelf**


- 470 mm wide
- powder-coated in HEWI colours DX, AY, SC, DC
- further product information see page 9



**950.13.0006**

**HEWI Washbasin profile with shelf**


- 470 mm wide, hole right, oblong hole left
- powder-coated in HEWI colours DX, AY, SC, DC
- further product information see page 9



**950.13.0007**

**HEWI Washbasin profile with shelf**

- 470 mm wide, hole left, oblong hole right
- powder-coated in HEWI colours DX, AY, SC, DC
- further product information see page 9



**950.13.0008**

**HEWI Washbasin profile with 3 hooks**

- powder-coated in HEWI colours DX, AY, SC, DC
- further product information see page 9

Item Number

Specification



**Example: Washbasin 950.13.201 with profiles with support rail 950.13.0001 with shelf 950.13.0014 and 950.13.0015**

**HEWI Washbasin with support rail and one shelf**

- package includes:
  - washbasin 950.13.20...
  - washbasin profiles with support rail 950.13.0001
  - 1 freely selectable shelf

**HEWI Washbasin with support rail and two shelves**

- package includes:
  - washbasin 950.13.20...
  - washbasin profiles with support rail 950.13.0001
  - 2 freely selectable shelves

Please indicate washbasin, item number and surface of washbasin profiles with support rail and shelf when ordering.



**950.13.201**  
**950.13.200**

**HEWI Washbasin, modular**

- further product information see page 4
- prepared for single hole mixer tap
- for wall-mounted fittings

**950.13.0001**

**HEWI Washbasin profiles with support rail**

- powder-coated in HEWI colours DX, AY, SC, DC
- further product information see page 8



**950.13.0014**

**HEWI Shelf**

- 360 mm wide
- powder-coated in HEWI colours DX, AY, SC, DC
- further product information see page 22



**950.13.0015**

**HEWI Shelf**

- 360 mm wide, hole right
- powder-coated in HEWI colours DX, AY, SC, DC
- further product information see page 22



**950.13.0016**

**HEWI Shelf**


- 360 mm wide, hole left
- powder-coated in HEWI colours DX, AY, SC, DC
- further product information see page 22



**950.13.0017**

**HEWI Shelf**


- 470 mm wide
- powder-coated in HEWI colours DX, AY, SC, DC
- further product information see page 22



**950.13.0018**

**HEWI Shelf**

- 470 mm wide, hole right, oblong hole left
- powder-coated in HEWI colours DX, AY, SC, DC
- further product information see page 23



**950.13.0019**

**HEWI Shelf**


- 470 mm wide, hole left, oblong hole right
- powder-coated in HEWI colours DX, AY, SC, DC
- further product information see page 23

**HEWI Surfaces**


- ... **DX** matt white
- ... **AY** matt light grey pearl mica
- ... **SC** matt dark grey pearl mica
- ... **DC** matt black

Item Number

Dimensions in mm / Specification



950.13.0001




**HEWI Washbasin profiles with support rail**

- adaptive additional function for washbasin model 950.13.20..
- support rail, can also be used as a towel holder
- 650 mm wide, rail  $\varnothing$  25 mm, loading capacity up to 80 kg
- made of high-quality stainless steel, powder-coated in HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)
- mounted under the washbasin using two profiles
- including non-corrosive HEWI fixing material



950.13.0002




**HEWI Washbasin profile with shelf**

- adaptive additional functions for washbasin model 950.13.20..
- shelf can easily be inserted and removed in the profile on the washbasin
- shelf 360 mm wide, 102 mm deep, loading capacity up to 2 kg
- made of high-quality stainless steel, powder-coated in HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)
- including non-corrosive HEWI fixing material



950.13.0003




**HEWI Washbasin profile with shelf**

- adaptive additional functions for washbasin model 950.13.20..
- shelf can easily be inserted and removed in the profile on the washbasin
- shelf 360 mm wide, 102 mm deep, loading capacity up to 2 kg
- hole for tumbler or soap dispenser system 800 K (see page 24)
- made of high-quality stainless steel, powder-coated in HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)
- including non-corrosive HEWI fixing material



950.13.0004




- hole right
- hole left

Item Number

Dimensions in mm / Specification



950.13.0005




**HEWI Washbasin profile with shelf**

- adaptive additional functions for washbasin model 950.13.20..
- shelf can easily be inserted and removed in the profile on the washbasin
- shelf 470 mm wide, 102 mm deep
- made of high-quality stainless steel, powder-coated in HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)
- loading capacity up to 2 kg
- including non-corrosive HEWI fixing material



950.13.0006

950.13.0007




**HEWI Washbasin profile with shelf**

- adaptive additional functions for washbasin model 950.13.20..
- shelf can easily be inserted and removed in the profile on the washbasin
- shelf 470 mm wide, 102 mm deep
- hole for tumbler or soap dispenser system 800 K, oblong hole for shower basket system 800 K (see page 24)
- made of high-quality stainless steel, powder-coated in HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)
- loading capacity up to 2 kg
- including non-corrosive HEWI fixing material
- hole right, oblong hole left
- hole left, oblong hole right



950.13.0008



**HEWI Washbasin profile with 3 hooks**

- adaptive additional functions for washbasin model 950.13.20..
- hooks can easily be inserted and removed in the profile on the washbasin
- profile 480 mm long, hooks each 15 mm wide and 30 mm deep
- made of high-quality stainless steel, powder-coated in HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)
- loading capacity up to 2 kg
- including non-corrosive HEWI fixing material



**HEWI Surfaces**


- ... **DX** matt white
- ... **AY** matt light grey pearl mica
- ... **SC** matt dark grey pearl mica
- ... **DC** matt black

Item Number

Dimensions in mm / Specification




950.13.0009




**HEWI Washbasin profile with cap**

- can be mounted under washbasin model 950.13.20..
- hooks and shelves can easily be inserted and removed using the profile on the washbasin
- 480 mm long, □ 25 x 25 mm
- made of aluminium, powder-coated in HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)
- including non-corrosive HEWI fixing material



950.13.0021



**HEWI Washbasin support rail**

- adaptive additional functions for washbasin model 950.13.20..
- support rail, can also be used as a towel holder
- 650 mm wide, rail ø 25 mm
- made of high-quality stainless steel, powder-coated in HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)
- loading capacity up to 80 kg
- mounted under the washbasin using two profiles



**HEWI Surfaces**

- ... **DX** matt white
- ... **AY** matt light grey pearl mica
- ... **SC** matt dark grey pearl mica
- ... **DC** matt black

# Washbasin sets





# Washbasin sets

## Well thought-through combinations

Create an overview at your washbasin with HEWI's modular washbasin system. With the pre-configured washbasin sets, practical solutions are available for expanding the washbasin.

We have put together the most popular variations as sets for you. These are based on the individual needs of the users and are specially adapted to the respective requirements.

# Washbasin sets



**950.19.070**

consisting of:

- 950.13.201 Washbasin
- 950.13.0001 Washbasin profiles with support rail

see page 14



**950.19.071**

consisting of:

- 950.13.201 Washbasin
- 950.13.0001 Washbasin profiles with support rail
- 950.13.0013 Hook
- 950.13.0013 Hook

see page 15



**950.19.072**

consisting of:

- 950.13.201 Washbasin
- 950.13.0001 Washbasin profiles with support rail
- 950.13.0014 Shelf

see page 16



**950.19.073**

consisting of:

- 950.13.201 Washbasin
- 950.13.0001 Washbasin profiles with support rail
- 950.13.0014 Shelf
- 950.13.0018 Shelf, hole right and oblong hole
- 950.13.0013 Hook

see page 17





**950.19.074**

consisting of:

- 950.13.201 Washbasin
- 950.13.0003 Washbasin profile with shelf, hole right
- 950.13.0005 Washbasin profile with shelf
- 950.13.0013 Hook

see page 18



950.19.070

**Set washbasin with support rail**


set includes:

- washbasin 950.13.201
  - modular washbasin system: adaptive additional functions can be extended or removed
  - with shelf and deep rectangular basin with generous radii
  - with gushing edge to wall, without overflow
  - alpine white, mineral composite material with non-porous surface
  - 650 mm wide, 550 mm deep
  - prepared for single hole mixer tap
  - wheelchair accessible to DIN 18040 and ÖNORM B1600/1601
  - loading capacity to EN 14688
  - for hanger bolt fixing
  - CE marking according to Construction Products Regulation No. 305/2011
- washbasin profiles with support rail 950.13.0001
  - support rail, can also be used as a towel holder, loading capacity up to 80 kg
  - 650 mm wide, rail ø 25 mm
  - mounted under the washbasin using two profiles
  - rail made of high-quality stainless steel, powder-coated in HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)

Please advise the surface of the washbasin profiles with support rail when ordering.

Item Number

Dimensions in mm / Specification



950.19.071

**Set washbasin with support rail and 2 hooks**


set includes:

- washbasin 950.13.201
  - modular washbasin system: adaptive additional functions can be extended or removed
  - with shelf and deep rectangular basin with generous radii
  - with gushing edge to wall, without overflow
  - alpine white, mineral composite material with non-porous surface
  - 650 mm wide, 550 mm deep
  - prepared for single hole mixer tap
  - wheelchair accessible to DIN 18040 and ÖNORM B1600/1601
  - loading capacity to EN 14688
  - for hanger bolt fixing
  - CE marking according to Construction Products Regulation No. 305/2011
- washbasin profiles with support rail 950.13.0001
  - support rail, can also be used as a towel holder, loading capacity up to 80 kg
  - 650 mm wide, rail ø 25 mm
  - mounted under the washbasin using two profiles
- 2 x hook 950.13.0013
  - hooks can easily be inserted and removed in the profile, loading capacity up to 2 kg
  - 15 mm wide
- hooks and rail made of high-quality stainless steel, powder-coated in HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)
- including non-corrosive HEWI fixing material

Please advise the surface of the washbasin profiles with support rail and hooks when ordering.

**HEWI Surfaces**

- ... **DX** matt white
- ... **AY** matt light grey pearl mica
- ... **SC** matt dark grey pearl mica
- ... **DC** matt black



950.19.072

**Set washbasin with support rail and shelf**



set includes:

- washbasin 950.13.201
  - modular washbasin system: adaptive additional functions can be extended or removed
  - with shelf and deep rectangular basin with generous radii
  - with gushing edge to wall, without overflow
  - alpine white, mineral composite material with non-porous surface
  - 650 mm wide, 550 mm deep
  - prepared for single hole mixer tap
  - wheelchair accessible to DIN 18040 and ÖNORM B1600/1601
  - loading capacity to EN 14688
  - for hanger bolt fixing
  - CE marking according to Construction Products Regulation No. 305/2011
- washbasin profiles with support rail 950.13.0001
  - support rail, can also be used as a towel holder, loading capacity up to 80 kg
  - 650 mm wide, rail ø 25 mm
  - mounted under the washbasin using two profiles
- shelf 950.13.0014
  - shelf can easily be inserted and removed in the profile, loading capacity up to 2 kg
  - 360 mm wide, 102 mm deep
- shelf and rail made of high-quality stainless steel, powder-coated in HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)
- including non-corrosive HEWI fixing material

Please advise the surface of the washbasin profiles with support rail and shelf when ordering.

Item Number

Dimensions in mm / Specification



950.19.073

**Set washbasin with support rail, 2 shelves and hook**


set includes:

- washbasin 950.13.201
  - modular washbasin system: adaptive additional functions can be extended or removed
  - with shelf and deep rectangular basin with generous radii
  - with gushing edge to wall, without overflow
  - alpine white, mineral composite material with non-porous surface
  - 650 mm wide, 550 mm deep
  - prepared for single hole mixer tap
  - wheelchair accessible to DIN 18040 and ÖNORM B1600/1601
  - loading capacity to EN 14688
  - for hanger bolt fixing
  - CE marking according to Construction Products Regulation No. 305/2011
- washbasin profiles with support rail 950.13.0001
  - support rail, can also be used as a towel holder, loading capacity up to 80 kg
  - 650 mm wide, rail ø 25 mm
  - mounted under the washbasin using two profiles
- shelf 950.13.0014
  - 360 mm wide, 102 mm deep
- shelf 950.13.0018
  - 470 mm wide, 102 mm deep
  - hole for tumbler or soap dispenser system 800 K, oblong hole for shower basket system 800 K
- hook 950.13.0013
  - 15 mm wide
- shelves and hook can easily be inserted and removed in the profile, loading capacity up to 2 kg
- shelves, hook and rail made of high-quality stainless steel, powder-coated in HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)
- including non-corrosive HEWI fixing material

Please advise the surface of the washbasin profiles with support rail, shelves and hook when ordering.

**HEWI Surfaces**

- ... **DX** matt white
- ... **AY** matt light grey pearl mica
- ... **SC** matt dark grey pearl mica
- ... **DC** matt black



950.19.074

**Set washbasin with 2 shelves and hook**

set includes:

- washbasin 950.13.201
  - modular washbasin system: adaptive additional functions can be extended or removed
  - with shelf and deep rectangular basin with generous radii
  - with gushing edge to wall, without overflow
  - alpine white, mineral composite material with non-porous surface
  - 650 mm wide, 550 mm deep
  - prepared for single hole mixer tap
  - wheelchair accessible to DIN 18040 and ÖNORM B1600/1601
  - loading capacity to EN 14688
  - for hanger bolt fixing
  - CE marking according to Construction Products Regulation No. 305/2011
- washbasin profile with shelf 950.13.0003
  - 360 mm wide, 102 mm deep
  - hole for tumbler or soap dispenser system 800 K
- washbasin profile with shelf 950.13.0005
  - 470 mm wide, 102 mm deep
- hook 950.13.0013
  - 15 mm wide
- shelves and hook can easily be inserted and removed in the profile, loading capacity up to 2 kg
- shelves and hook made of high-quality stainless steel, powder-coated in HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)
- including non-corrosive HEWI fixing material

Please advise the surface of the washbasin profiles with shelves and hook when ordering.

**HEWI Surfaces**

- ... **DX** matt white
- ... **AY** matt light grey pearl mica
- ... **SC** matt dark grey pearl mica
- ... **DC** matt black

# Wall profiles



Item Number

Dimensions in mm / Specification



950.13.0010

**HEWI Wall profile with caps**

- 372 mm long
- powder-coated in HEWI colours DX, AY, SC, DC
- further product information see right

950.13.0011

**HEWI Wall profile with caps**

- 482 mm long
- powder-coated in HEWI colours DX, AY, SC, DC
- further product information see right

950.13.0012

**HEWI Wall profile with caps**

- 736 mm long
- powder-coated in HEWI colours DX, AY, SC, DC
- further product information see right

The wall profiles can be connected to each other in any length and can be combined with the shelves and hooks below.

The price results from the addition of the selected products.

Please indicate item numbers, surface and number of wall profiles, shelves and hooks when ordering.



950.13.0013

**HEWI Hook**

- 15 mm wide
- powder-coated in HEWI colours DX, AY, SC, DC
- further product information see page 22



950.13.0014

**HEWI Shelf**

- 360 mm wide
- powder-coated in HEWI colours DX, AY, SC, DC
- further product information see page 22



950.13.0015

**HEWI Shelf**

- 360 mm wide, hole right
- powder-coated in HEWI colours DX, AY, SC, DC
- further product information see page 22



950.13.0016

**HEWI Shelf**


- 360 mm wide, hole left
- powder-coated in HEWI colours DX, AY, SC, DC
- further product information see page 22



950.13.0017

**HEWI Shelf**


- 470 mm wide
- powder-coated in HEWI colours DX, AY, SC, DC
- further product information see page 22



950.13.0018

**HEWI Shelf**

- 470 mm wide, hole right, oblong hole left
- powder-coated in HEWI colours DX, AY, SC, DC
- further product information see page 23



950.13.0019

**HEWI Shelf**


- 470 mm wide, hole left, oblong hole right
- powder-coated in HEWI colours DX, AY, SC, DC
- further product information see page 23

Item Number

Dimensions in mm / Specification



950.13.0010




**HEWI Wall profile with caps**

- for wall mounting
- hooks and shelves can easily be inserted and removed using the profile, suitable for shelf 360 mm or hooks
- 372 mm long, □ 25 x 25 mm
- made of aluminium, powder-coated in HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)
- including non-corrosive HEWI fixing material



950.13.0011




**HEWI Wall profile with caps**

- do., suitable for shelves 360 mm and 470 mm, hooks or shelf 360 mm combined with hooks
- 482 mm long



950.13.0012



**HEWI Wall profile with caps**

- do., suitable for shelves 360 mm and 470 mm, hooks or two shelves 360 mm combined
- 736 mm long



**HEWI Surfaces**


- ... **DX** matt white
- ... **AY** matt light grey pearl mica
- ... **SC** matt dark grey pearl mica
- ... **DC** matt black

Item Number

Dimensions in mm / Specification



950.13.0013





**HEWI Hook**

- adaptive additional functions for washbasin profiles 950.13.0001 and 950.13.0009 or wall profiles 950.13.001..
- hook can easily be inserted and removed in the profile
- 15 mm wide, 34 mm deep
- made of high-quality stainless steel, powder-coated in HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)
- loading capacity up to 2 kg



950.13.0014

950.13.0017





**HEWI Shelf**

- adaptive additional functions for washbasin profiles 950.13.0001 and 950.13.0009 or wall profiles 950.13.001..
- shelf can easily be inserted and removed in the profile
- made of high-quality stainless steel, powder-coated in HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)
- loading capacity up to 2 kg
- shelf 360 mm wide, 102 mm deep
- shelf 470 mm wide, 102 mm deep



950.13.0015

950.13.0016




**HEWI Shelf with hole**

- adaptive additional functions for washbasin profiles 950.13.0001 and 950.13.0009 or wall profiles 950.13.001..
- shelf can easily be inserted and removed in the profile
- shelf 360 mm wide, 102 mm deep
- hole for tumbler or soap dispenser system 800 K (see page 24)
- made of high-quality stainless steel, powder-coated in HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)
- loading capacity up to 2 kg
- hole right
- hole left



Item Number

Dimensions in mm / Specification




**HEWI Shelf with hole and oblong hole**

- adaptive additional functions for washbasin profiles 950.13.0001 and 950.13.0009 or wall profiles 950.13.001..
- shelf can easily be inserted and removed in the profile
- shelf 470 mm wide, 102 mm deep
- hole for tumbler or soap dispenser system 800 K, oblong hole for shower basket system 800 K (see page 24)
- made of high-quality stainless steel, powder-coated in HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)
- loading capacity up to 2 kg
- hole right, oblong hole left
- hole left, oblong hole right



**950.13.0018**  
**950.13.0019**



**HEWI Profile cap**

- end cap for washbasin profile 950.13.0009 and wall profiles 950.13.001..
- □ 25 x 25 mm
- made of aluminium, powder-coated in HEWI colours DX (matt white), AY (matt light grey pearl mica), SC (matt dark grey pearl mica) and DC (matt black)




**950.13.0020**

**HEWI Surfaces**

- ... **DX** matt white
- ... **AY** matt light grey pearl mica
- ... **SC** matt dark grey pearl mica
- ... **DC** matt black

Item Number

Dimensions in mm / Specification




800.04.010  
800.04B010

**HEWI Tumbler**  
suitable for shelves with hole 950.13.00...

- cylindrical tumbler with flat bottom
- upper  $\varnothing$  69 mm, 110 mm high
- made of high-quality polyamide in 16 HEWI colours
- made of high-quality matt polyamide in 16 HEWI colours

Please advise colour when ordering.




800.06.010  
800.06B010

**HEWI Soap dispenser**

suitable for shelves with hole 950.13.00...

- upper  $\varnothing$  69 mm, 170 mm high incl. pump
- pump made of metal, high-quality chrome-plated
- capacity approx. 200 ml
- made of high-quality polyamide in 16 HEWI colours
- made of high-quality matt polyamide in 6 HEWI colours

Please advise colour when ordering.



800.03.010  
800.03B010

**HEWI Insert**

suitable for shelves with oblong hole 950.13.00...


- 240 mm long, 90 mm high, 84 mm deep
- made of high-quality polyamide in 16 HEWI colours
- made of high-quality matt polyamide in 6 HEWI colours

Please advise colour when ordering.

16 HEWI colours



6 matt HEWI colours





# International terms and conditions of sale

## § 1 Applicability of these International Terms and Conditions of Sale

1. The terms and conditions set out in these International Terms and Conditions of Sale shall form an integral part of the Contract of Sale and apply, if the buyer's relevant place of business is outside of Germany. These International Terms and Conditions of Sale apply exclusively. The buyer's terms and conditions which conflict or differ from these International Terms and Conditions of Sale and/or from the legal provisions do not apply, even if we do not object to them or render performance or accept the buyer's performance.

2. These Terms and Conditions of Sale do not apply if the goods are bought for personal, family or household use and we knew or ought to have known at any time before or at conclusion of the Contract of Sale that the goods were bought for any such use. The buyer declares that the goods are not bought for personal, family or household use.

## § 2 Formation of the Contract of Sale

1. A Contract of Sale always requires a written order of the buyer.

2. We may accept the buyer's written order with our order acknowledgement (hereinafter the "Order Acknowledgement") within 10 (ten) calendar days after receipt of the buyer's order.

## § 3 Applicable Law

1. The Contract of Sale is governed by the United Nations Conventions of 11 April 1980 on Contracts for the International Sale of Goods (UN Sales Convention / CISG) in the English version and all legal questions beyond the scope of the CISG are governed by the Swiss law of obligations (Obligationenrecht). The CISG also applies to all agreements as to the jurisdiction of courts and arbitral tribunals.

2. Should commercial terms be used the Incoterms® 2010 of the International Chamber of Commerce apply taking into account the provisions stipulated in these International Terms and Conditions of Sale.

## § 4 Specifications of the goods; Third party rights

1. The goods to be delivered have to conform to the specifications and quality requirements set out in the Order Acknowledgement. To the extent no specifications or quality requirements are stated in the Order Acknowledgement, the goods conform with the contract if they are fit for the purpose which is usual in Germany and fit for the purpose for which goods of the same description are usually used for in Germany. Unless otherwise explicitly agreed to, the goods do not have to conform to any laws or regulations existing outside of Germany.

2. Should the buyer intend to use the goods in circumstances which are unusual or which could entail a particular risk to the safety and health of any person or to the environment, the buyer has to inform us in writing

about these intentions before concluding the Contract of Sale.

3. Rights and claims of third parties (in particular rights and claims based on title or industrial property rights) only constitute a defect in title if these rights and/or claims are in force and registered in Germany and impede the use of the goods in Germany.

## § 5 Obligation to deliver; Passing of risk

1. We have to deliver the goods referred to in the Order Acknowledgement including a packaging that is suitable for the means of transportation.

2. Delivery has to be made FCA Incoterms 2010 at our premises in 34454 Bad Arolsen/Germany. We are not obliged to contract for carriage and we are not obliged to inform the buyer that the goods have been delivered or that the carrier or another person nominated by the buyer has failed to take the goods within the time agreed. We are however entitled to contract for carriage in our own name at the buyer's risk and expense; the costs resulting therefrom will be charged to the buyer with the invoice. We are also entitled to contract for carriage on behalf of the buyer at the buyer's risk and expense. In all such instances where we contract for carriage at buyer's risk and expense, the place of performance for delivery will be 34454 Bad Arolsen/Germany.

3. Adherence to the delivery date respectively the delivery period stated in the Order Acknowledgement is not of the essence and non-adherence to the delivery date or the delivery period respectively does not constitute a fundamental breach of contract. If delivery periods are agreed to, we reserve the right to determine the exact delivery time within the delivery period.

4. All delivery dates and delivery periods are dependent upon the buyer performing all of his obligations in due time. In particular, the buyer has to procure or confirm any necessary permits, drawings etc. and make agreed payments in due time.

5. We are entitled to make partial deliveries and to invoice these separately.

6. The passing of risk takes place with delivery in accordance with § 5 sec. 2. Should the buyer fail to take delivery, the risk passes at the time the buyer fails to take delivery.

7. In addition to our statutory rights we are entitled to suspend the performance of our obligations if there are reasonable indications that the buyer will not perform his obligations under the Contract of Sale, in particular not be able to pay the agreed price in due time.

## § 6 Delivery Note, Invoice and other documents

1. We will provide the buyer with a delivery note issued according to our standard.

2. Irrespective of the Incoterms-clause used, we are not obliged to clear the goods for export. We will however

at the buyer's risk and expense apply for any necessary export licences and formalities as regards customs provided that the buyer has provided us with all necessary information.

3. We will provide the buyer only with such documents explicitly stated on the Order Acknowledgement.

## § 7 Force MajGBPe

Any inability to supply as a result of force majGBPe or other unforeseen incidents outside our responsibility including, without limitation, strike, lock out, acts of public authorities, subsequent cease of export or import opportunities shall, for their duration and in accordance with their impact, relieve us from the obligation to comply with any agreed delivery period and delivery time as well as any other obligation.

## § 8 Obligation to pay the purchase price

1. The buyer is obliged to pay the agreed purchase price to the bank account nominated by us. Insofar as pursuant to the Order Acknowledgement the packaging costs are not included in the purchase price, these costs are to be paid in addition to the purchase price. The place of payment is 34454 Bad Arolsen/Germany. Banking fees accrued outside of Germany will be borne by the buyer. The payment shall be made without any deductions and is due for payment on the date or within the time limit as stated on the Order Acknowledgement. A time limit for payment stated on the Order Acknowledgement shall be calculated from the date of invoice. In the absence of any payment dates or time limits stated on the Order Acknowledgement, payment shall be made within 30 (thirty) calendar days after date of invoice. The buyer's acceptance of the goods is no precondition for the payment to become due.

2. The agreed prices shall exclude any statutory VAT applicable at the date of delivery.

3. The buyer is only entitled to exercise a lien or to suspend his performance if this is based on the same transaction as well as based on a due and undisputed or finally adjudicated counterclaim of the buyer.

4. The buyer may only offset any claims insofar as the buyer's counterclaim is acknowledged, undisputed or assessed in a legally binding.

5. If and till such time the buyer is in arrears with payment of the purchase price, the buyer is obliged to pay interest at the rate of nine (9) percentage points above the base rate of the German Central bank per annum.

## § 9 Non-Conforming goods; Goods with a defect in title

1. The goods do not conform to the contract if at the time the risk passes they significantly deviate from the requirements set out in § 4 sec. 1 and sec. 2.

2. The goods are not free from rights or claims of third parties if at the time the risk passes they significantly

deviate from the requirements set out in § 4 sec. 3.

## § 10 Duty of examination and notification

1. Without prejudice to the legal provisions, the buyer is obliged to examine the goods comprehensively in respect of deviations as regards type, quantity, quality and packaging. If necessary, the buyer is obliged to conduct the examination with the help of external third parties.

2. Notice of non-conformity has to be made in within ten (10) calendar days. For very obvious non-conformities, the period for such notification starts with the delivery of the goods, in all other cases after the buyer has discovered the non-conformity or ought to have discovered it. Notice of non-conformity has to be given in writing. The notice of non-conformity has to clearly indicate and describe the non-conformity in such a way that we can take remedial actions.

3. Apart from the aforesaid as well as with respect to defects in title, the statutory provisions apply.

## § 11 Limitation Period

Without prejudice to claims resulting from a malicious, grossly negligent or intentional conduct as well as claims due to injury of life, body or health, the buyer's claims in respect of the delivery of non-conforming goods and goods with a defect in title become time-barred one (1) year after delivery of the goods.

## § 12 Remedies in case of non-conforming goods and goods with a defect in title; Limitation of Liability

1. In case of delivery of non-conforming goods, the buyer can claim delivery of substitute goods, rectification of a non-conformity by repair, reduce the purchase price or declare avoidance of the Contract of Sale only in accordance with the legal provisions. Delivery of substitute goods and rectification of a non-conformity by repair does not include the removal of the non-conforming goods nor the assembly of the repaired or of the substitute goods.

2. To the extent any costs associated with performing remedies are increased by the fact that the buyer has removed the goods to a place not stated in the Order Acknowledgement or, in the absence of such an indication, to a place other than the buyer's place of business, these costs will be borne by the buyer.

3. Delivery of substitute goods or repair does not lead to a restart or extension of the limitation period.

4. If we deliver non-conforming goods or goods with a defect in title or breach any other obligation resulting from the Contract of Sale or the business relationship with the buyer, the buyer is entitled to demand damages only in accordance with the following provisions and any recourse to concurrent bases of claim (in particular of a non-contractual nature) is excluded:

a. We are not liable for the conduct of our suppliers or subcontractors. Neither are we liable for damages to which the buyer has contributed.

b. The buyer has to prove that either our directors or employees or other members of staff have deliberately or negligently breached contractual obligations owed to the buyer.

c. In case of liability, the amount of damages for late delivery is limited to 0,5 per cent for each full week of delay, up to a maximum of 5 per cent of the purchase price of the goods delivered late or not at all, and in case of remedies because of delivery of non-conforming goods and/or goods with a defect in title and in case of all other breaches of obligations is limited to the purchase price of the goods affected.

d. Irrespective of § 12 sec. 5 c), we are not liable for loss of profit.

e. The aforesaid limitations in § 12 sec. 5 do not apply

i. to injury of life, body or health,

ii. if we have acted maliciously, grossly negligent or intentionally,

iii. if we are liable according to product liability laws, and

iv. to liabilities which may not be excluded or limited according to the applicable laws.

5. Apart from the aforesaid, the statutory provisions apply.

## § 13 Right to use Software; Rights in documents etc.

1. In case the goods include software, with the delivery of the goods the buyer is hereby granted a non-exclusive, royalty-free license to use the software, but strictly and only in connection with the goods purchased under this Contract of Sale. With the exception of the right to make one backup copy, the buyer is not entitled to copy the software.

2. We reserve all intellectual property rights in any documents, pictures, drawings etc. (collectively "Documents") arising in connection with the performance of the obligations arising under the Contract of Sale and such Documents shall belong exclusively to us.

## § 14 Other Provisions

1. Title of the goods that have been delivered remains with us until all of our claims against the buyer have been settled.

2. We are not obliged to perform any obligations not stated in the written Order Acknowledgement or in these International Terms and Conditions of Sale.

3. There are no side agreements to the Contract of Sale.

4. Any amendments to a concluded Contract of Sale require our written confirmation, duly approved by signature.

5. The buyer is not entitled to assign his rights and obligations against us to a third party.

6. The place of performance for delivery is governed in § 5 sec. 2, the place of performance for the payment in § 8 sec.1. For all remaining obligations and irrespective of the agreement of a differing Incoterms-clause, the place of performance is agreed to be 34454 Bad Arolsen/ Germany, including for a replacement delivery, for the rectification of non-conformities and for the restitution of the contractual obligations in case of avoidance of the Contract.

7. All communications, declarations, notices etc. (hereinafter collectively "Notices") are to be drawn up exclusively in German or English. Notices by means of fax or email fulfill the requirement of being in writing. A signature is not required, unless these International Terms and Conditions of Sale explicitly require a signature.

## § 15 Agreement on arbitration and jurisdiction

1. If the Buyer's place of business is located within the GBPOpean Economic Area and/or within Switzerland, for all disputes, including disputes under insolvency law, arising out of or in connection with a Contract of Sale and/or these International Terms and Conditions of Sale, including its validity, invalidity, violation or cancellation as well as other disputes arising out of the business relationship between the Buyer and us, the state court which has jurisdiction for 34454 Bad Arolsen/ Germany shall have exclusive jurisdiction. Instead of bringing an action before the state court which has jurisdiction for 34454 Bad Arolsen/Germany, we are also entitled to bring an action before the state court of the Buyer's place of business.

2. If the Buyer's place of business is located outside of both the GBPOpean Economic Area and Switzerland, all contractual and extra-contractual disputes, including disputes under insolvency law, arising out of or in connection with a Contract of Sale and/or these International Terms and Conditions of Sale, including its validity, invalidity, violation or cancellation as well as other disputes arising out of the business relationship between the Buyer and us shall be finally settled in accordance with the Swiss Rules of International Arbitration of the Swiss Chambers' Arbitration Institution in force on the date on which the Notice of Arbitration is submitted in accordance with these Rules. The place of the arbitration shall be Zurich/Switzerland, the language used in the arbitral proceedings shall be English.

## § 16 Severability

If provisions of these International Terms and Conditions of Sale should be or become partly or wholly ineffective, the remaining provisions will continue to apply. We and the buyer are bound to replace the ineffective provision with a legally valid provision as close as possible to the commercial meaning and purpose of the ineffective provision.

# HEWI

[www.hewi.com](http://www.hewi.com)

## GERMANY

HEWI Heinrich Wilke GmbH  
Postfach 1260  
34442 Bad Arolsen  
Phone: +49 5691 82-0  
Fax: +49 5691 82-319  
[international@hewi.com](mailto:international@hewi.com)

## UNITED KINGDOM

HEWI (UK) Limited  
Holm Oak Barn, Beluncle Halt  
Stoke Road, Hoo  
Rochester, Kent ME3 9NT  
Phone: +44 1634 258200  
Fax: +44 1634 250099  
[info@hewi.co.uk](mailto:info@hewi.co.uk)  
[www.hewi.co.uk](http://www.hewi.co.uk)